If I am unconscious, semiconscious or BEHAVING ABNORMALLY

I may be suffering from

HYPOGLYCEMIA

as a result of the overaction of my diabetes medications, including insulin.

GIVE ME PLEASE GLUCOSE (SUGAR)

in some form-any sugar-containing soft drink.

I should improve within 10 minutes.

Diabetes <u>Data Book</u>

下記外国語は、「私は糖尿病があります」を、 英語・フランス語・スペイン語・中国語・韓国語 の順で表現したものです。

- ·I have diabetes
- ·J'ai le diabète
- ·Soy diabético/a
- •我有糖尿病
- •나는 당뇨병환자 입니다

see	back	page	
-----	------	------	--

My name is:

Mr./Ms. _____

Japan Association for Diabetes Education & Care (JADEC)

RECENT DATA (/,)	• Weight (kg): BMI:	(kg/m ²	
Day/Month		• Plasma glucose (mg/dl):		
Mr./Ms.		fasting:		
is on kcal diet		post prandial (hrs):		
		● HbAıc (%):		
and the following medication:	• Blood pressure (mm Hg):			
Morning: (before / after breakfast)		ECG: normal / abnormal		
Worlding: (before) after breakfast)	mg	Retinopathy:		
* *	mg	none / minimum / moderate / impair	red vision	
U	<u>U</u>	• Nephropathy:		
Noon: (before / after lunch)	mg	BUN (mg/dl):		
	mg	Creatinine (mg/dl):		
U	U	Proteinuria: - + # #		
Evening: (before / after dinner)		Neuropathy: − + # #		
	mg mg	• .		
U	U	Signed:	_ , M. D	
Bed time:	U	Clinic or Hospital:		
• Other medications:				
		Phone Number for Emergency:		
		81 (Japan)		